

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Fair Depth to saturated zone	0.98	Fair Too acid Depth to saturated zone	0.59 0.98
AdB2: Adelphia-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Fair Depth to saturated zone	0.98	Fair Too acid Depth to saturated zone	0.59 0.98
AdC2: Adelphia-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Fair Depth to saturated zone	0.98	Fair Too acid Depth to saturated zone	0.59 0.98
AhA: Adelphia-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Fair Depth to saturated zone	0.98	Fair Too acid Depth to saturated zone	0.59 0.98
AhB2: Adelphia-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Fair Depth to saturated zone	0.98	Fair Too acid Depth to saturated zone	0.59 0.98
AuB2: Aura-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Good		Poor Rock fragments Too acid Hard to reclaim	0.00 0.32 0.92

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AuC2: Aura-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Good		Poor Rock fragments Too acid Hard to reclaim Slope	0.00 0.32 0.92 0.96
AuC3: Aura-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Good		Poor Rock fragments Too acid Hard to reclaim Slope	0.00 0.32 0.92 0.96
AuD: Aura-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Good		Poor Rock fragments Slope Too acid Hard to reclaim	0.00 0.04 0.32 0.92
AvE: Aura-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Poor Slope	0.00	Poor Slope Rock fragments Too acid Hard to reclaim	0.00 0.00 0.32 0.92
Croom-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.98
BeA: Beltsville-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Too acid	0.16 0.53 0.59
BeB2: Beltsville-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Too acid	0.16 0.53 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BeC2: Beltsville-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Too acid	0.16 0.53 0.59
BlA: Beltsville-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Too acid	0.16 0.53 0.59
BlB2: Beltsville-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Too acid	0.16 0.53 0.59
BlC2: Beltsville-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Too acid	0.16 0.53 0.59
BlC3: Beltsville-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Too acid	0.16 0.53 0.59
BlD3: Beltsville-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Slope Depth to saturated zone Too acid	0.16 0.16 0.53 0.59
BmB: Beltsville-----	50	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Too acid	0.16 0.53 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
BmC: Beltsville-----	50	Fair Too acid Low content of organic matter Water erosion	 0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Too acid Slope	 0.16 0.53 0.59 0.84
Urban Land-----	30	Not rated		Not rated		Not rated	
Bn: Bibb-----	100	Fair Too acid Low content of organic matter Water erosion	 0.12 0.88 0.99	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Rock fragments	 0.00 0.59 0.88
Bo: Bibb-----	100	Fair Too acid Low content of organic matter Water erosion	 0.12 0.88 0.99	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Rock fragments	 0.00 0.59 0.88
Br: Bibb-----	50	Fair Too acid Low content of organic matter Water erosion	 0.12 0.88 0.99	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Rock fragments	 0.00 0.59 0.88
Urban Land-----	30	Not rated		Not rated		Not rated	
BtB2: Butlertown-----	90	Poor Low content of organic matter Too acid Water erosion	 0.00 0.54 0.90	Good		Fair Too acid	0.98
CaB2: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	 0.12 0.32 0.90	Good		Poor Hard to reclaim Too acid	 0.00 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaC2: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Too acid Slope	0.00 0.88 0.96
CaC3: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Too acid Slope	0.00 0.88 0.96
CaD2: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Fair Slope	0.98	Poor Slope Hard to reclaim Too acid	0.00 0.00 0.88
CbB: Chillum-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Too acid	0.00 0.88
Urban Land-----	30	Not rated		Not rated		Not rated	
CbC: Chillum-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Too acid Slope	0.00 0.88 0.96
Urban Land-----	30	Not rated		Not rated		Not rated	
CbE: Chillum-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Fair Slope	0.02	Poor Slope Hard to reclaim Too acid	0.00 0.00 0.88
Urban Land-----	30	Not rated		Not rated		Not rated	
CcC3: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter	0.00 0.03 0.12	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CcD3: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter	0.00 0.03 0.12	Fair Shrink-swell	0.87	Poor Too Clayey Slope Too acid	0.00 0.16 0.32
CcE3: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter	0.00 0.03 0.12	Poor Slope Shrink-swell	0.00 0.87	Poor Slope Too Clayey Too acid	0.00 0.00 0.32
CdA: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32
CdB2: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32
CdC2: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32
CdD2: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Slope Too acid	0.00 0.16 0.32
CeA: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CeB2: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32
CeC2: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32
CeD2: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Slope Shrink-swell	0.82 0.87	Poor Slope Too Clayey Too acid	0.00 0.00 0.32
CfB: Christiana-----	50	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32
Urban Land-----	30	Not rated		Not rated		Not rated	
CfC: Christiana-----	50	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid Slope	0.00 0.32 0.84
Urban Land-----	30	Not rated		Not rated		Not rated	
CfE: Christiana-----	50	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Poor Slope Shrink-swell	0.00 0.87	Poor Slope Too Clayey Too acid	0.00 0.00 0.32
Urban Land-----	30	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cg: Clay Pits-----	95	Not rated		Not rated		Not rated	
Ch: Codorus-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Fair Depth to saturated zone	0.14	Fair Depth to saturated zone Rock fragments	0.14 0.97
Ck: Codorus-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Fair Depth to saturated zone	0.14	Fair Depth to saturated zone Rock fragments	0.14 0.97
Urban Land-----	30	Not rated		Not rated		Not rated	
Cl: Colemantown-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.00 0.88
CmA: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
CmB2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
CmC2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
CmC3: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
CmD2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Slope Too acid	0.16 0.59



Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CmD3: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Slope Too acid	0.16 0.59
CmE2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59
CmE3: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Fair Slope	0.08	Poor Slope Too acid	0.00 0.59
CnB2: Collington-----	100	Poor Wind erosion Low content of organic matter Too acid	0.00 0.00 0.12	Good		Fair Too acid	0.59
CnC2: Collington-----	100	Poor Wind erosion Low content of organic matter Too acid	0.00 0.00 0.12	Good		Fair Too acid	0.59
CnD2: Collington-----	100	Poor Wind erosion Low content of organic matter Too acid	0.00 0.00 0.12	Good		Fair Slope Too acid	0.16 0.59
CoA: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
CoB2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
CoC3: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CpB: Collington-----	50	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
CpC: Collington-----	50	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid Slope	0.59 0.84
Urban Land-----	30	Not rated		Not rated		Not rated	
Cr: Comus-----	95	Fair Too acid Water erosion	0.54 0.90	Good		Fair Hard to reclaim Too acid	0.88 0.98
CsB2: Croom-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.98
CsC2: Croom-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.98
CsC3: Croom-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.98
CtB2: Croom-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CtC2: Croom-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.98
CtC3: Croom-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.98
CtD2: Croom-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Fair Slope	0.50	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.98
CuB: Croom-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.98
Urban Land-----	30	Not rated		Not rated		Not rated	
CuC: Croom-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.98
Urban Land-----	30	Not rated		Not rated		Not rated	
CuE: Croom-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.98
Urban Land-----	30	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DoA: Donlonton-----	95	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.32 0.90	Fair Depth to saturated zone Shrink-swell	0.32 0.96	Poor Too Clayey Depth to saturated zone Too acid	0.00 0.32 0.88
DoB2: Donlonton-----	95	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.32 0.90	Fair Depth to saturated zone Shrink-swell	0.32 0.96	Poor Too Clayey Depth to saturated zone Too acid	0.00 0.32 0.88
Ek: Elkton-----	100	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.99	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59
ElB: Elkton-----	100	Fair Too acid Low content of organic matter Too clayey	0.12 0.12 0.32	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59
EmA: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
EmB2: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
EnA: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EnB2: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
EnC2: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
EuB: Elsinboro-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
Urban Land-----	30	Not rated		Not rated		Not rated	
Fl: Fallsington-----	100	Fair Too acid Low content of organic matter	0.12 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim Too acid	0.00 0.26 0.59
Fs: Fallsington-----	100	Fair Too acid Low content of organic matter	0.12 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim Too acid	0.00 0.26 0.59
Fu: Fallsington-----	50	Fair Too acid Low content of organic matter	0.12 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim Too acid	0.00 0.26 0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	100	Fair Too sandy Droughty Too acid	0.01 0.09 0.12	Good		Poor Rock fragments Too sandy Too acid Hard to reclaim	0.00 0.01 0.59 0.92

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaC: Galestown-----	100	Poor Wind erosion Too sandy Droughty Too acid	 0.00 0.01 0.09 0.12	Good		Poor Rock fragments Too sandy Slope Too acid Hard to reclaim	 0.00 0.01 0.37 0.59 0.92
GdB: Galestown-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	 0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Too acid	 0.00 0.59
GdC: Galestown-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	 0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Slope Too acid	 0.00 0.37 0.59
GeB: Galestown-----	50	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	 0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Too acid	 0.00 0.59
Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy Droughty	 0.00 0.03 0.12 0.18 0.96	Good		Fair Too sandy Too acid	 0.18 0.32
GeC: Galestown-----	50	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	 0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Slope Too acid	 0.00 0.37 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy Droughty	0.00 0.03 0.12 0.18 0.96	Good		Fair Too sandy Too acid Slope	0.18 0.32 0.37
GmB: Galestown-----	50	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Too acid	0.00 0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
GmC: Galestown-----	50	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Slope Too acid	0.00 0.37 0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
GnC2: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
GoB: Glenelg-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
Urban Land-----	30	Not rated		Not rated		Not rated	
Gp: Gravel And Borrow Pi	95	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ha: Hatboro-----	100	Poor Low content of organic matter Water erosion Too acid	0.00 0.68 0.88	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim	0.00 0.50
HcC3: Howell-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.03 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid Slope Hard to reclaim	0.00 0.32 0.96 0.98
HcD3: Howell-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.03 0.90	Fair Shrink-swell Slope	0.87 0.98	Poor Too Clayey Slope Too acid Hard to reclaim	0.00 0.00 0.32 0.98
HoB2: Howell-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.03 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid Hard to reclaim	0.00 0.32 0.98
HoC2: Howell-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.03 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid Slope Hard to reclaim	0.00 0.32 0.96 0.98
HwB2: Howell-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.03 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid Hard to reclaim	0.00 0.32 0.98
HwC2: Howell-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.03 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid Slope Hard to reclaim	0.00 0.32 0.96 0.98



Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HwD2: Howell-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.03 0.90	Fair Shrink-swell Slope	0.87 0.98	Poor Too Clayey Slope Too acid Hard to reclaim	0.00 0.00 0.32 0.98
HwE2: Howell-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.03 0.90	Poor Slope Shrink-swell	0.00 0.87	Poor Slope Too Clayey Too acid Hard to reclaim	0.00 0.00 0.32 0.98
Hy: Hyde-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Ik: Iuka-----	95	Poor Low content of organic matter Too acid	0.00 0.32	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.88
ImA: Iuka-----	95	Poor Low content of organic matter Too acid	0.00 0.32	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.88
ImB: Iuka-----	95	Poor Low content of organic matter Too acid	0.00 0.32	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.88
In: Iuka-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.88
IoA: Iuka-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
IoB: Iuka-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.88
Iu: Iuka-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.88
Urban Land-----	30	Not rated		Not rated		Not rated	
Ix: Iuka-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.88
Urban Land-----	30	Not rated		Not rated		Not rated	
Jo: Johnston-----	50	Fair Too acid	0.32	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.88
Johnston-----	50	Fair Too acid	0.32	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.88
Ju: Johnston-----	55	Fair Too acid	0.32	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.88
Urban Land-----	45	Not rated		Not rated		Not rated	
KeA: Keyport-----	95	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.99	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeB2: Keyport-----	95	Poor Too clayey Too acid  Low content of organic matter Water erosion	 0.00 0.12  0.12 0.99	Fair Shrink-swell Depth to saturated zone	 0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	 0.00 0.88  0.98
KeC2: Keyport-----	95	Poor Too clayey Too acid  Low content of organic matter Water erosion	 0.00 0.12  0.12 0.99	Fair Shrink-swell Depth to saturated zone	 0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	 0.00 0.88  0.98
KpA: Keyport-----	95	Poor Too clayey Too acid  Low content of organic matter Water erosion	 0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	 0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	 0.00 0.88  0.98
KpB2: Keyport-----	95	Poor Too clayey Too acid  Low content of organic matter Water erosion	 0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	 0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	 0.00 0.88  0.98
KpC2: Keyport-----	95	Poor Too clayey Too acid  Low content of organic matter Water erosion	 0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	 0.87 0.98	Poor Too Clayey Slope Too acid  Depth to saturated zone	 0.00 0.84  0.88 0.98
KrC3: Keyport-----	95	Poor Too clayey Too acid  Low content of organic matter Water erosion	 0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	 0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	 0.00 0.88  0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KuB: Keyport-----	50	Poor Too clayey Too acid  Low content of organic matter Water erosion	 0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	 0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	 0.00 0.88  0.98
Urban Land-----	30	Not rated		Not rated		Not rated	
Ky: Klej-----	95	Poor Wind erosion  Too acid Too sandy	 0.00  0.12 0.47	Fair Depth to saturated zone	 0.14	Fair Depth to saturated zone Too sandy Too acid	 0.14  0.47 0.59
LeA: Leonardtown-----	100	Fair Too acid  Low content of organic matter Water erosion	 0.12  0.12 0.90	Poor Depth to saturated zone	 0.00	Poor Hard to reclaim  Depth to saturated zone Too acid	 0.00  0.00 0.59
LeB: Leonardtown-----	100	Fair Too acid  Low content of organic matter Water erosion	 0.12  0.12 0.90	Poor Depth to saturated zone	 0.00	Poor Hard to reclaim  Depth to saturated zone Too acid	 0.00  0.00 0.59
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
MfB2: Magnolia-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	 0.00 0.00 0.12 0.90	Fair Shrink-swell	 0.87	Poor Too Clayey  Too acid	 0.00  0.59
MgB2: Magnolia-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	 0.00 0.00 0.12 0.90	Fair Shrink-swell	 0.87	Poor Too Clayey  Too acid	 0.00  0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MgC2: Magnolia-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.59
MhB2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Too acid	0.12 0.76
MhC2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Slope Too acid	0.12 0.37 0.76
MhD2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Fair Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
MhF2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Poor Slope	0.00	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
MkC: Manor-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Slope Too acid	0.12 0.37 0.76
Urban Land-----	30	Not rated		Not rated		Not rated	
MlA: Marr-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Good		Fair Too acid	0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MlB2: Marr-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Good		Fair Too acid	0.88
MlB3: Marr-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Good		Fair Too acid	0.88
MlC2: Marr-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Good		Fair Too acid Slope	0.88 0.96
MlC3: Marr-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Good		Fair Too acid Slope	0.88 0.96
MlD3: Marr-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Fair Slope	0.98	Poor Slope Too acid	0.00 0.88
MlE: Marr-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Poor Slope	0.00	Poor Slope Too acid	0.00 0.88
MmA: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Good		Fair Too acid Hard to reclaim	0.59 0.84
MmB2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Good		Fair Too acid Hard to reclaim	0.59 0.84

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnA: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MnB2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MnC2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MnC3: Matapeake-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MnD2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Slope Too acid Hard to reclaim	0.16 0.59 0.84
MoB2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MpB: Matapeake-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
Urban Land-----	30	Not rated		Not rated		Not rated	
MpC: Matapeake-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Slope Hard to reclaim	0.59 0.84 0.84

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
MrA: Matawan-----	95	Poor Low content of organic matter Too acid Too sandy	0.00 0.12 0.99	Fair Depth to saturated zone	0.89	Fair Too acid Depth to saturated zone Too sandy	0.88 0.89 0.99
MrB2: Matawan-----	95	Poor Low content of organic matter Too acid Too sandy	0.00 0.12 0.99	Fair Depth to saturated zone	0.89	Fair Too acid Depth to saturated zone Too sandy	0.88 0.89 0.99
MrC2: Matawan-----	95	Poor Low content of organic matter Too acid Too sandy	0.00 0.12 0.99	Fair Depth to saturated zone	0.89	Fair Too acid Depth to saturated zone Too sandy	0.88 0.89 0.99
MsA: Matawan-----	95	Poor Low content of organic matter Too acid Too sandy	0.00 0.12 0.47	Fair Depth to saturated zone	0.89	Fair Too sandy Too acid Depth to saturated zone	0.47 0.88 0.89
MsB: Matawan-----	95	Poor Low content of organic matter Too acid Too sandy	0.00 0.12 0.47	Fair Depth to saturated zone	0.89	Fair Too sandy Too acid Depth to saturated zone	0.47 0.88 0.89
MtA: Mattapex-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MtB2: Mattapex-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76



Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuA: Mattapex-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MuB2: Mattapex-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MvB: Mattapex-----	50	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
Urban Land-----	30	Not rated		Not rated		Not rated	
Mw: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
MxC3: Monmouth-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.12 0.32 0.90	Fair Shrink-swell	0.99	Fair Too Clayey Too acid	0.06 0.88
MxD3: Monmouth-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.12 0.32 0.90	Fair Slope Shrink-swell	0.50 0.99	Poor Slope Too Clayey Too acid	0.00 0.06 0.88
MyA: Monmouth-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.12 0.32 0.90	Fair Shrink-swell	0.99	Fair Too Clayey Too acid	0.06 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MyB2: Monmouth-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.12 0.32 0.90	Fair Shrink-swell	0.99	Fair Too Clayey Too acid	0.06 0.88
MyC2: Monmouth-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.12 0.32 0.90	Fair Shrink-swell	0.99	Fair Too Clayey Too acid	0.06 0.88
MyD2: Monmouth-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.12 0.32 0.90	Fair Shrink-swell	0.99	Fair Too Clayey Slope Too acid	0.06 0.16 0.88
MzB2: Muirkirk-----	100	Poor Low content of organic matter Too sandy Too acid	0.00 0.06 0.32	Good		Fair Too sandy Too acid	0.06 0.98
MzC2: Muirkirk-----	100	Poor Low content of organic matter Too sandy Too acid	0.00 0.06 0.32	Good		Fair Too sandy Too acid	0.06 0.98
OcA: Ochlockonee-----	100	Fair Too acid Low content of organic matter	0.32 0.88	Good		Fair Too acid	0.88
OcB: Ochlockonee-----	100	Fair Too acid Low content of organic matter	0.32 0.88	Good		Fair Too acid	0.88
OcC: Ochlockonee-----	100	Fair Too acid Low content of organic matter	0.32 0.88	Good		Fair Too acid	0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OhA: Ochlockonee-----	100	Fair Too acid Low content of organic matter	0.32 0.88	Good		Fair Too acid	0.88
OhB: Ochlockonee-----	100	Fair Too acid Low content of organic matter	0.32 0.88	Good		Fair Too acid	0.88
Ok: Ochlockonee, Local A	50	Fair Too acid Low content of organic matter	0.32 0.88	Good		Fair Too acid	0.88
Urban Land-----	30	Not rated		Not rated		Not rated	
Ol: Othello-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Ot: Othello-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Pr: Plummer-----	50	Poor Wind erosion Too acid Too sandy	0.00 0.12 0.42	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too sandy Too acid	0.00 0.42 0.59
Rutlege-----	50	Fair Too sandy Too acid Droughty	0.01 0.12 0.23	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too sandy Too acid	0.00 0.01 0.59
RdA: Rumford-----	100	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Good		Fair Too acid Hard to reclaim Rock fragments	0.76 0.82 0.97

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RdB2: Rumford-----	100	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Good		Fair Too acid Hard to reclaim Rock fragments	0.76 0.82 0.97
RdC2: Rumford-----	100	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Good		Fair Too acid Hard to reclaim Rock fragments	0.76 0.82 0.97
RdC3: Rumford-----	100	Poor Wind erosion Too acid Low content of organic matter Droughty	0.00 0.12 0.12 0.97	Good		Fair Too acid Hard to reclaim Rock fragments	0.76 0.82 0.97
RdD2: Rumford-----	100	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Good		Fair Slope Too acid Hard to reclaim Rock fragments	0.16 0.76 0.82 0.97
ReB: Rumford-----	50	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Good		Fair Too acid Hard to reclaim Rock fragments	0.76 0.82 0.97
Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy Droughty	0.00 0.03 0.12 0.18 0.96	Good		Fair Too sandy Too acid	0.18 0.32
ReC: Rumford-----	50	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Good		Fair Too acid Hard to reclaim Slope Rock fragments	0.76 0.82 0.96 0.97

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy Droughty	0.00 0.03 0.12 0.18 0.96	Good		Fair Too sandy Too acid Slope	0.18 0.32 0.96
ReD: Rumford-----	50	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Fair Slope	0.98	Poor Slope Too acid Hard to reclaim Rock fragments	0.00 0.76 0.82 0.97
Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy Droughty	0.00 0.03 0.12 0.18 0.96	Fair Slope	0.98	Poor Slope Too sandy Too acid	0.00 0.18 0.32
SaE: Sandy Land-----	95	Not rated		Not rated		Not rated	
ScB: Sandy And Clayey Lan	100	Not rated		Not rated		Not rated	
ScC: Sandy And Clayey Lan	100	Not rated		Not rated		Not rated	
ScD: Sandy And Clayey Lan	100	Not rated		Not rated		Not rated	
SfB2: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid	0.59
SfC2: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfD2: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Slope Too acid	0.16 0.59
SgB2: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid	0.59
SgC2: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid	0.59
SgC3: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid	0.59
SgD2: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Slope Too acid	0.16 0.59
SgD3: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Slope Too acid	0.16 0.59
SgE: Sassafras-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Fair Slope	0.08	Poor Slope Too acid	0.00 0.59
ShA: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShB2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
ShC2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
ShC3: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SkB: Sassafras-----	50	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
SkC: Sassafras-----	50	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid Slope	0.59 0.84
Urban Land-----	30	Not rated		Not rated		Not rated	
SkE: Sassafras-----	50	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Fair Slope	0.08	Poor Slope Too acid	0.00 0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
S1D: Collington-----	30	Poor Low content of organic matter Too acid	0.00 0.12	Fair Slope	0.98	Poor Slope Too acid	0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sassafras-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Fair Slope	0.98	Poor Slope Too acid	0.00 0.59
Aura-----	20	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Good		Poor Rock fragments Slope Too acid Hard to reclaim	0.00 0.04 0.32 0.92
SlE: Collington-----	30	Poor Low content of organic matter Too acid	0.00 0.12	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59
Sassafras-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59
Aura-----	20	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Good		Poor Slope Rock fragments Too acid Hard to reclaim	0.00 0.00 0.32 0.92
SmA: Shrewsbury-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
SmB: Shrewsbury-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
SnA: Shrewsbury-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
So: Shrewsbury-----	50	Poor Low content of organic matter Too acid	0.00 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Urban Land-----	30	Not rated		Not rated		Not rated	



Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SpB: Silty And Clayey Land, Gently-----	95	Poor Too clayey Too acid Low content of organic matter	0.00 0.03 0.12	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32
SpC: Silty And Clayey Land, Slopin-----	95	Poor Too clayey Too acid Low content of organic matter	0.00 0.03 0.12	Fair Shrink-swell	0.87	Poor Too Clayey Too acid Slope	0.00 0.32 0.37
SpE: Silty And Clayey Land, Steep-----	95	Poor Too clayey Too acid Low content of organic matter	0.00 0.03 0.12	Poor Slope Shrink-swell	0.00 0.87	Poor Slope Too Clayey Too acid	0.00 0.00 0.32
StB2: Sunnyside-----	100	Poor Low content of organic matter Too acid	0.00 0.03	Good		Fair Too acid	0.32
StC2: Sunnyside-----	100	Poor Low content of organic matter Too acid	0.00 0.03	Good		Fair Too acid	0.32
StD2: Sunnyside-----	100	Poor Low content of organic matter Too acid	0.00 0.03	Good		Fair Slope Too acid	0.16 0.32
StE: Sunnyside-----	100	Poor Low content of organic matter Too acid	0.00 0.03	Fair Slope	0.08	Poor Slope Too acid	0.00 0.32
SuB2: Sunnyside-----	100	Poor Low content of organic matter Too acid	0.00 0.03	Good		Fair Too acid	0.32

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SuC2: Sunnyside-----	100	Poor Low content of organic matter Too acid	0.00 0.03	Good		Fair Too acid	0.32
SuD2: Sunnyside-----	100	Poor Low content of organic matter Too acid	0.00 0.03	Good		Fair Slope Too acid	0.16 0.32
SvC3: Sunnyside-----	100	Fair Too acid Low content of organic matter	0.03 0.12	Good		Fair Too acid	0.32
SvD3: Sunnyside-----	100	Fair Too acid Low content of organic matter	0.03 0.12	Good		Fair Slope Too acid	0.16 0.32
SwB: Sunnyside-----	50	Poor Low content of organic matter Too acid	0.00 0.03	Good		Fair Too acid	0.32
Urban Land-----	30	Not rated		Not rated		Not rated	
SwC: Sunnyside-----	50	Poor Low content of organic matter Too acid	0.00 0.03	Good		Fair Too acid Slope	0.32 0.84
Urban Land-----	30	Not rated		Not rated		Not rated	
Sx: Manahawkin-----	100	Poor Wind erosion	0.00	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Content of organic matter Hard to reclaim	0.00 0.00 0.82
Tm: Westbrook-----	100	Poor Low content of organic matter Salinity	0.00 0.97	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Salinity	0.00 0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WaA: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid	0.59
WaB2: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid	0.59
WaB3: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid	0.59
WaC2: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Slope	0.59 0.96
WaC3: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Slope	0.59 0.96
WaD2: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Fair Slope	0.98	Poor Slope Too acid	0.00 0.59
WaD3: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Fair Slope	0.98	Poor Slope Too acid	0.00 0.59
WbB2: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WbC2: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Slope	0.59 0.96
WbD2: Westphalia-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Fair Slope	0.98	Poor Slope Too acid	0.00 0.59
WeB2: Westphalia-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid	0.59
Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy Droughty	0.00 0.03 0.12 0.18 0.96	Good		Fair Too sandy Too acid	0.18 0.32
WeC2: Westphalia-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Slope	0.59 0.96
Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy Droughty	0.00 0.03 0.12 0.18 0.96	Good		Fair Too sandy Too acid Slope	0.18 0.32 0.96
WeC3: Westphalia-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Slope	0.59 0.96
Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy Droughty	0.00 0.03 0.12 0.18 0.96	Good		Fair Too sandy Too acid Slope	0.18 0.32 0.96

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeD3: Westphalia-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Fair Slope	0.98	Poor Slope Too acid	0.00 0.59
Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy Droughty	0.00 0.03 0.12 0.18 0.96	Fair Slope	0.98	Poor Slope Too sandy Too acid	0.00 0.18 0.32
WoA: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
WoB2: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
WoC2: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
Wu: Woodstown-----	50	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
Urban Land-----	30	Not rated		Not rated		Not rated	
ZZ900: Paved Areas-----	100	Not rated		Not rated		Not rated	

